


***DON'T LET YOUR
TRASH
SOUND THE ALARM!***

Remember: Kitty litter, diapers, tissues and other absorbents that have touched fluids from patients or pets undergoing nuclear medicine treatment are **RADIOACTIVE**




***Please segregate these
items for 90 days before
disposal in the trash***



A message from your friends at the
SOUTH SHORE
RECYCLING COOPERATIVE
ssrc.info

***DON'T LET YOUR
TRASH
SOUND THE ALARM!***

Remember: Kitty litter, diapers, tissues and other absorbents that have touched fluids from patients or pets undergoing nuclear medicine treatment are **RADIOACTIVE**




***Please segregate these
items for 90 days before
disposal in the trash***



A message from your friends at the
SOUTH SHORE
RECYCLING COOPERATIVE
ssrc.info

***DON'T LET YOUR
TRASH
SOUND THE ALARM!***

Remember: Kitty litter, diapers, tissues and other absorbents that have touched fluids from patients or pets undergoing nuclear medicine treatment are **RADIOACTIVE**



***Please segregate these
items for 90 days before
disposal in the trash***



A message from your friends at the
SOUTH SHORE
RECYCLING COOPERATIVE
ssrc.info

Detection of any amount of radiation in the trash can cause the following chain of events:

- ✦ the entire 20-ton load is rejected at the disposal facility
- ✦ driver & vehicle are detained while Mass. DPH is notified
- ✦ the driver must return to town with the load
- ✦ a radiation consultant and hauler sift through the load to attempt to identify the source and type of radiation
- ✦ if the source can't be identified, the container is reloaded and quarantined for up to three months, until the consultant determines it to be acceptable for disposal
- ✦ cost can exceed \$1,000

Detection of any amount of radiation in the trash can cause the following chain of events:

- ✦ the entire 20-ton load is rejected at the disposal facility
- ✦ driver & vehicle are detained while Mass. DPH is notified
- ✦ the driver must return to town with the load
- ✦ a radiation consultant and hauler sift through the load to attempt to identify the source and type of radiation
- ✦ if the source can't be identified, the container is reloaded and quarantined for up to three months, until the consultant determines it to be acceptable for disposal
- ✦ cost can exceed \$1,000

Detection of any amount of radiation in the trash can cause the following chain of events:

- ✦ the entire 20-ton load is rejected at the disposal facility
- ✦ driver & vehicle are detained while Mass. DPH is notified
- ✦ the driver must return to town with the load
- ✦ a radiation consultant and hauler sift through the load to attempt to identify the source and type of radiation
- ✦ if the source can't be identified, the container is reloaded and quarantined for up to three months, until the consultant determines it to be acceptable for disposal
- ✦ cost can exceed \$1,000